

TWWS15

INSTALLATION, OPERATION AND MAINTENANCE MANUAL



*Always read these operating instructions carefully.
Follow the instructions carefully.*

Table of contents

1. General information	1
2. Identification of the instructions for use	1
3. Technical data	1
4. Modification of the product	2
5. Safety-related information	2
5.1 <i>Safety instructions</i>	2
6. Assembly and installation	2
6.1 <i>Assembly instructions</i>	2
6.2 <i>Extension of the workshop cupboard system</i>	4
7. Appendix	6
7.1 <i>Dimensions</i>	6
7.2 <i>Exploded view</i>	7

Important information:

ASSEMBLY



You can find the assembly video for this tool cabinet on YouTube:
<https://youtu.be/AbMYBNkXAfY> or scan the QR code.



PRODUCT PRESENTATION



You can find the product presentation video for this tool cabinet on YouTube:
<https://youtu.be/cn-X0NlrKCM>
or scan the QR code.





TIPS & TRICKS



In the "Tips & Tricks" section we show you simple solutions to work even more efficiently with your TWIN BUSCH® products.

<https://www.twinbusch.co.uk/Tips-Tricks: :74.html>

ACCESSORIES

We recommend additional **accessories** in our shop to go with this tool cabinet, such as additional tool cabinet parts.

<https://www.twinbusch.co.uk/Tool-Cabinet-Trolley:::12.html>



1. General information

With the **TWWS15** professional workshop cabinet system, we offer you a professional and solid workshop cabinet system with many different storage, shelving and hanging surfaces.

The closed system components, such as the wardrobe unit, the drawer unit with 7 drawers and the 2-door base unit, are lockable.

There are two wall units in the upper area, which are equipped with gas struts for smooth opening and closing.

There are also LED light tubes under the wall units for optimum illumination of your work surface.

A robust perforated tool panel (with integrated triple socket) and a solid 35 mm thick worktop complete the system.

Furthermore, no wall mounting is required and the workshop cabinet system can therefore be set up very flexibly.

Can be extended at any time with our TWIN BUSCH workshop cabinet systems TWWS23 and TWWS2C.

2. Identification of the instructions for use

Operating instructions **TWWS15**

of Twin Busch GmbH,
Ampèrestraße 1,
D-64625 Bensheim

Phone: +49 6251-70585-0
Telefax: +49 6251-70585-29
Internet: www.twinbusch.de
Email: info@twinbusch.de

Twin Busch UK Ltd.
9, Linnell Way
Telford Way Industrial Estate
NN16 8PS, Kettering (Northants)

Phone: +44 (0) 1536 522 960
Internet: www.twinbusch.co.uk
Email: info@twinbusch.co.uk

Status: -00, 27.11.2024

File: TWWS15_Workshop-cabinet-system_Manual_uk_00_20241127.pdf

3. Technical data

Dimensions	197 cm (W) x 196 cm (H without feet) x 50 cm (D)
Internal drawer dimensions	5x 565 mm (W) x 65 mm (H) x 390 mm (D) 2x 565 mm (W) x 130 mm (H) x 390 mm (D)
Worktop (thickness)	35 mm

4. Modification of the product

Improper use, as well as modifications, conversions and attachments not agreed with the manufacturer and all its components are not permitted. The manufacturer accepts no liability for improper installation, operation or overloading.

If you require any changes, please contact your dealer or the expert staff at Twin Busch GmbH beforehand.

5. Safety-related information

Read the operating instructions carefully before using the product. Keep the instructions for future reference. Follow the instructions carefully to achieve the best performance and to avoid damage due to personal negligence.

Check all connections and components thoroughly for damage.

5.1 Safety instructions

- Check that all connections are tight and functional.
- Never remove safety-relevant components. Do not use the product if safety-relevant components are missing or damaged.
- Electrical installation work and repairs may only be carried out by specialised personnel; never put safety devices out of operation!

6. Assembly and installation

6.1 Assembly instructions

- 1) Remove the outer film and remove the packages from the pallet.
- 2) There are further parts inside the tall unit. These include the height-adjustable feet and the shelves for dividing the compartments.
- 3) First screw on the feet and lock each of them with a nut. Repeat this step with the two remaining cabinets.
- 4) Depending on your requirements, there are various options for subdividing the wardrobe unit with the shelves. Insert them at the desired height. Also insert the shelves of the smaller cupboard.

Note: Use a spirit level to check that the cabinets are level before continuing with the Assembly. If the cabinets are not level, you can re-leveling the feet.

- 5) Fastening the perforated panels

- a) The retaining plates are fitted to the rear of the small cabinets using 3 screws, washers and snap rings.



Illustration: Retaining plates

- b) Then screw the two centre plates to the two adjacent retaining plates using 4 screws, washers, circlips and nuts each.
- c) Now fit the perforated panels.
Note: Due to the wiring of the lamps, the perforated panel with the triple EU socket outlet must always be fitted on the left-hand side as seen from the front.
- d) Each perforated panel is fastened with 4 screws per side.



Illustration: Perforated wall

- 6) To assemble the wall cabinets, you need 4 screws per cabinet, each with a washer and a split washer. Only screw these in lightly at first.
- 7) Once all wall units have been assembled and screwed together, the rear screws are tightened.
- 8) Place the worktop on top and screw it in place from below using the screws supplied.




Illustration: Worktop

9) You can then connect the lamps.




Illustration: Lamps

6.2 Extension of the workshop cupboard system

- 1) To connect the sets together, first check the horizontal alignment and adjust the feet if necessary.
- 2) Screw the retaining plates to the back of the cupboards using 4 screws.
- 3) Screw the adjacent wall units together.





Illustration: Workshop cupboard system set 1 and 2




Illustration: Workshop cupboard system set 1, set 2 and corner module

7. Appendix


7.1 Dimensions



7.2 Exploded view



• Connect A-B-C-D-E





You can find more products at:

twinbusch.co.uk

Twin Busch UK LTD
Kettering
Northants NN16 8PS

Tel.: +44 (0) 1536 522 960
E-Mail: info@twinbusch.co.uk
Web: www.twinbusch.co.uk

The technical specifications and illustrations provided in the user manual are not binding. Our products are subject to technical changes, so the delivered condition may vary.